

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Allseating

5800 Averbury Rd. #3, Mississauga, ON, Canada

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified SCS-EC10.3-2014 v4.0

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e.3 -2019 (Credits 7.6.1, 7.6.2, 7.6.3) for seating parameters.¹ Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for seating¹ and school classroom parameters.²

¹ Modeled as Office Seating

² Modeled as Pupil Seating

Registration # SCS-IAQ-03592

Valid from: May 1, 2020 to April 30, 2021



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Vice President
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA



Certification Addendum

Allseating

Certification: Registration # SCS-IAQ-03592 | Valid from: May 1, 2020 to April 30, 2021

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified SCS-EC10.3-2014 v4.0

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e.3-2019 (Credits 7.6.1,7.6.2, 7.6.3) for seating parameters.¹ Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for seating¹ and school classroom parameters.²

¹ Modeled as Office Seating

² Modeled as Pupil Seating

Products: **Seating:**

Healthcare Series Recliners:

FOSTER Patient Recliner, FOSTER Recliner Standard, FOSTER Sleeper Standard

Healthcare Series Lounges:

FOSTER Guest Mesh Single, FOSTER Guest Mesh Single Plus, FOSTER Guest Mesh Single Wide, FOSTER Guest Upholstered Single, FOSTER Guest Upholstered Single Plus, FOSTER Guest Upholstered Single Wide, FOSTER Guest Multiple Mesh Double, FOSTER Guest Multiple Mesh Double with Full Arm, FOSTER Guest Multiple Mesh Double with Half Arm, FOSTER Guest Multiple Upholstered Double, FOSTER Guest Multiple Upholstered Double with Full Arm, FOSTER Guest Multiple Upholstered Double with Half Arm, FOSTER Guest Multiple Mesh Triple, FOSTER Guest Multiple Mesh Triple with Full Arm, FOSTER Guest Multiple Mesh Triple with Half Arm, FOSTER Guest Multiple Upholstered Triple, FOSTER Guest Multiple Upholstered Triple with Full Arm, FOSTER Guest Multiple Upholstered Triple with Half Arm,

Certification Addendum

Allseating

Certification: Registration # SCS-IAQ-03592 | Valid from: May 1, 2020 to April 30, 2021

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified SCS-EC10.3-2014 v4.0

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e.3-2019 (Credits 7.6.1,7.6.2, 7.6.3) for seating parameters.¹ Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for seating¹ and school classroom parameters.²

¹ Modeled as Office Seating

² Modeled as Pupil Seating

Products: **Healthcare Series Lounges Continued:**

FOSTER Guest Tandem Upholstered Wide End Unit, FOSTER Guest Tandem Upholstered Add-on Unit, FOSTER Guest Tandem Upholstered End Unit, FOSTER Guest Tandem Upholstered Start Unit, FOSTER Guest Tandem Upholstered Plus Add-on Unit, FOSTER Guest Tandem Upholstered Plus End Unit, FOSTER Guest Tandem Upholstered Plus Start Unit, FOSTER Guest Tandem Upholstered Wide Add-on Unit, FOSTER Guest Tandem Upholstered Wide Start Unit, FOSTER Lounge Single, FOSTER Lounge Double, FOSTER Lounge Triple, FOSTER Lounge Plus, FOSTER Patient Mesh 41" Single, FOSTER Patient Mesh 41" Plus, FOSTER Patient Mesh 41" Hip Chair, FOSTER Patient Upholstered 41" Plus, FOSTER Patient Mesh 41" Rocker, FOSTER Patient Mesh 41" Sled, FOSTER Patient Mesh 41" Wide, FOSTER Patient Upholstered 41" Hip Chair, FOSTER Patient Upholstered 41" Rocker, FOSTER Patient Upholstered 41" Single, FOSTER Patient Upholstered 41" Sled, FOSTER Patient Mesh 44" Plus, FOSTER Patient Mesh 44" Rocker, FOSTER Patient Mesh 44" Single, Foster Patient Mesh 44" Sled, FOSTER Patient Mesh 44" Wide, FOSTER Patient Upholstered 44" Plus, FOSTER Patient Upholstered 44" Rocker,

Certification Addendum

Allseating

Certification: Registration # SCS-IAQ-03592 | Valid from: May 1, 2020 to April 30, 2021

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified SCS-EC10.3-2014 v4.0

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e.3-2019 (Credits 7.6.1,7.6.2, 7.6.3) for seating parameters.¹ Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for seating¹ and school classroom parameters.²

¹ Modeled as Office Seating

² Modeled as Pupil Seating

Products: **Healthcare Series Lounges Continued:**

FOSTER Patient Upholstered 44" Single, FOSTER Patient Upholstered 44" Sled, FOSTER Patient Upholstered 44" Wide, HALSA Guest Single HB, HALSA Guest Single MB, HALSA Guest Plus, HALSA Guest Loveseat, HALSA Double, HALSA Double with Full Arm, HALSA Triple, HALSA Triple with Full Arm

Healthcare Series Benches:

FOSTER Bench Lite, FOSTER Bench Single, FOSTER Bench Double, FOSTER Bench Double with Table, FOSTER Ottoman

Multipurpose Lounge Series:

EXCHANGE Linear, EXCHANGE L-Shape, EXCHANGE U-Shape, EXCHANGE Ottoman, EXCHANGE Modular, LYSS Lounge, WATSON

Certification Addendum

Allseating

Certification: Registration # SCS-IAQ-03592 | Valid from: May 1, 2020 to April 30, 2021

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified SCS-EC10.3-2014 v4.0

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e.3-2019 (Credits 7.6.1,7.6.2, 7.6.3) for seating parameters.¹ Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for seating¹ and school classroom parameters.²

¹ Modeled as Office Seating

² Modeled as Pupil Seating

Products: **Conference & Task Chairs:**

AYLES Chair, CHIROFORM™ Ultra 24:7 HB, CHIROFORM™ Ultra 24:7 MB, CHIROFORM™ Ultra MB, CHIROFORM™ Ultra MB Stool, CHIROFORM™ Big HB, ENTAIL Fully Upholstered, ENTAIL MB, FLUID® Task, FLUID® Stool, INERTIA® Mesh Plus, INERTIA® Mesh Stool, INERTIA® Mesh Task HB, INERTIA® Mesh Task MB, INERTIA® Upholstered Plus, INERTIA® Upholstered Stool, INERTIA® Upholstered Task HB, INERTIA® Upholstered Task MB, INNATE, L1, LEVO Task, LYSS Conference, MANTRA, M.O.™ Task, M.O.™ Upholstered, PRATA, PRESTO® 24:7, PRESTO® Task HB, PRESTO® Task MB, PRESTO® Petite, PRESTO® Stool, RAY™ Conference HB, RAY™ Conference MB, RAY™ Executive HB, RAY™ Executive MB, REQUISITE™ Conference HB, REQUISITE™ Conference MB, THERAPOD® Therapist EHB, THERAPOD® Therapist HB, TUCK™ Collaborative, YOU™ HB, YOU™ MB, YOU™ MB Stool, YOU TOO™ MB, YOU TOO™ MB Stool, ZIP™ Fully Upholstered Conference HB, ZIP™ Fully Upholstered Conference MB, ZIP™ Fully Upholstered HB, ZIP™ Fully Upholstered MB, ZIP™ Fully Upholstered Stool, ZIP™ Mesh Conference, ZIP™ Mesh Stool, ZIP™ Mesh Task

Certification Addendum

Allseating

Certification: Registration # SCS-IAQ-03592 | Valid from: May 1, 2020 to April 30, 2021

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified SCS-EC10.3-2014 v4.0

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e.3-2019 (Credits 7.6.1,7.6.2, 7.6.3) for seating parameters.¹ Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for seating¹ and school classroom parameters.²

¹ Modeled as Office Seating

² Modeled as Pupil Seating

Products: **Multipurpose Chairs:**

ASTUTE Guest, ASTUTE Guest Wood, ASTUTE Counter Stool, ASTUTE Counter Wood Stool, ASTUTE Bar Stool, ASTUTE Bar Wood Stool, ASTUTE Fully Upholstered Bar Stool, ASTUTE Fully Upholstered Counter Stool, ASTUTE Fully Upholstered Guest, ASTUTE Plus, AYLES Ottoman, FLUID® Side, INERTIA® Mesh Side, INERTIA® Mesh Side Plus, INERTIA® Mesh Bar Stool, INERTIA® Upholstered Side, INERTIA® Upholstered Bar Stool, INERTIA® Upholstered Side Plus, JIF, LYSS Guest, MULTISTACK™ Stacking, MULTISTACK™ Tablet, RAINBOW™ Hip, RAINBOW™ Junior, RAINBOW™ Plus 26", RAINBOW™ Plus 31", RAINBOW™ Round Back, RAINBOW™ Round Back Wide, RAINBOW™ Round Back Non-Stackable Sled, RAINBOW™ Round Back Stackable Sled, RAINBOW™ Square Back, RAINBOW™ Square Back Wide, RAINBOW™ Square Back Non-Stackable Sled, RAINBOW™ Square Back Stackable Sled, TRYST, TUCK™ 4 Leg, TUCK™ 4 Leg Bar STOOL, TUCK™ 4 Leg Counter Stool, TUCK™ Bar Stool, TUCK™ Collaborative, TUCK™ Counter Stool, TUCK™ Fully Upholstered 4 Leg, TUCK™ Fully Upholstered 4 Leg Bar Stool, TUCK™ Fully Upholstered 4 Leg Counter Stool, TUCK™ Fully Upholstered Bar Stool,

Certification Addendum

Allseating

Certification: Registration # SCS-IAQ-03592 | Valid from: May 1, 2020 to April 30, 2021

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified SCS-EC10.3-2014 v4.0

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e.3-2019 (Credits 7.6.1,7.6.2, 7.6.3) for seating parameters.¹ Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for seating¹ and school classroom parameters.²

¹ Modeled as Office Seating

² Modeled as Pupil Seating

Products: **Multipurpose Chairs Continued:**

TUCK™ Fully Upholstered Collaborative, TUCK™ Fully Upholstered Counter Stool, TUCK™ Fully Upholstered Nester, TUCK™ Fully Upholstered Stacker, TUCK™ Nester, TUCK™ Stacker, YOU™ Guest, ZIP™ Mesh Side

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Allseating

5800 Averbury Rd. #3, Mississauga, ON, Canada

For the following product(s):

Tables:

EXCHANGE Cocktail Table 16", EXCHANGE Coffee Table, EXCHANGE Laptop Table, EXCHANGE Linking Table 120deg, EXCHANGE Linking Table 24", EXCHANGE Swing Tablet Arm, EXCHANGE Table Round 24", EXCHANGE Table Round 30", EXCHANGE Table Round 36", FOSTER Coffee Table, FOSTER Corner Table, FOSTER End Table Left, FOSTER End Table Right, FOSTER Inline Table, FOSTER Side Table, HALSA Coffee Table, HALSA Corner Table, HALSA End Table, HALSA Inline Table, HALSA Side Table

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e.3 -2019 (Credit 7.6.1) for the open plan and private office parameters and (Credit 7.6.2) for the private office workstation parameter.¹

¹ Modeled as Individual Furniture components

Registration # SCS-IAQ-06101

Valid from: May 1, 2020 to April 30, 2021



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Vice President
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

The SCS Global Services logo, with "SCS" in large green letters, "global" in black lowercase letters, and "SERVICES" in smaller black uppercase letters below it.